

Kiehl-Parketto-care

Self-shining emulsion polish for wooden floors

- ▲ Free from metal salts
- ▲ Outstanding film-forming properties
- ▲ Can be used in diluted or undiluted form
- ▲ Certified according to DIN 18032
- ▲ Slip resistance value between 0.4 and 0.6 μ
- ▲ Easy removal of scuff marks by polishing (approx. 1000 rpm)
- ▲ Optimum polished finish
- ▲ Free from TBEP



DIN 18032

Area of application

For use on sealed real wood surfaces. Perform an adhesion test before using on engineered parquet.

Application

Please test on a small inconspicuous spot before first application. The surfaces must be clean, release-agent free and properly prepared to ensure faultless adhesion and appearance. Do not let the product dry on the mop. Close canister immediately after use. Avoid draughts during use and drying. Excessively wet wiping and standing water can damage the wood surface.

Preparation of the surface:

Use moist cleaning cloths to remove dust from new, professionally sealed wood surfaces. Use Kiehl-Parketto-clean Concentrate to moisten and wipe off stubborn dirt. Dry clean used parquet surfaces before coating (use Kiehl-Legno pad). Accruing dust must be removed.

Coating:

Depending on the absorbency of the surface, 1–2 layers at intervals of approx. 90 minutes.

After preparing the surfaces, apply a thin coat of undiluted product, e.g. using a flat mop or waxer. Consumption: 25.0–30.0 ml/m² per application.

Spray buffing for restoring damaged parts of the coating:

Dilute product 1:1 with cold water.

Apply using a spray bottle and polishing machine (approx. 1000 rpm). Consumption: 1.5 ml/m².

Intermittent maintenance:

250 ml to 8 L of cold water.

Dip the mop into the cleaning solution, press out thoroughly and wipe the surface. Consumption: 1.0 ml/m².

Polishing:

Occasional polishing (approx. 1000 rpm) compacts the care components, removes scuff marks caused by traffic and increases durability.



Note

Kiehl accepts no liability or responsibility for damage caused as a result of incorrect use or application of the product. For more information (incl. data sheets), please refer to www.kiehl-group.com. Protect from frost.

Ingredients (according to 648/2004/EC)

Nonionic surfactants < 5%, synthetic dispersions, free from metal salts, polyethylene waxes, additives, fragrances, preservatives (Sodium Pyrrithione, Benzisothiazolinone).

pH value (concentrate): approx. 7.5

Art. No.	Packaging unit (PU)	Numbers of PU per pallet
j221001	Carton of 6 x 1 L PCR-bottles	84
j221005	Carton of 2 x 5 L PCR-canisters	56