

Hodrupa A

High pressure and machine cleaner with corrosion prevention

- ▲ Special, highly alkaline, low-foaming cleaner
- ▲ Removes mineral oil and exhaust dirt as well as soot after fire damage
- ▲ Very good separation characteristics in wastewater
- ▲ According to ÖNORM B 5105, Clause 7.2, suitable for oil separators
- ▲ Can be used for machine and equipment cleaning
- ▲ No corrosion of bright metal parts (iron, sheet metal) after cleaning
- ▲ Very good wetting properties



Area of application

Can be used on water and alkali-resistant surfaces in industry. Highly suitable for cleaning industrial and workshop floors. Also suitable for cleaning after fire damage as well as for painted and unpainted metal surfaces. Not suitable for use on linoleum and rubber floors or on calcite-based stones such as marble or terrazzo tiles!

Application

Please test on a small inconspicuous spot before first application. Adjacent areas and objects must be protected.

Routine cleaning (mechanical wet cleaning):

200 ml to 10 L of cold water. Consumption: 2.0 ml/m².

High-pressure cleaning:

200 ml to 10 L of cold water.

Machine cleaning:

Apply undiluted product on a cloth or cotton waste and use to work into the items to be cleaned. Do not rinse with water, so that the corrosion protection can achieve its full effect.

Basic cleaning (after fire damage):

800 ml to 8 L of cold water.

Distribute the cleaning solution on the floor, leave to react for a short time, scrub, vacuum the dirty solution, rinse thoroughly with water.



Note

Kiehl accepts no liability or responsibility for damage caused as a result of incorrect use or application of the product. Not a consumer product according to 1999/44/EC Art. 1! For professional use only!

Ingredients (according to 648/2004/EC)

Nonionic surfactants < 5%, anionic surfactants < 5%, alkalis, water-soluble solvents, corrosion protection.

pH value (concentrate): approx. 13

pH value (ready-to-use solution): approx. 11.5

Classification

Classification (in concentrate): GHS05, Danger. H314 Causes severe skin burns and eye damage. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention. Contains: Potassium Silicate / Potassium Hydroxide (INC)

Art. No.	Packaging unit (PU)	Numbers of PU per pallet
j050110	10 L canister	60
j050172	200 L drum	2
j050190	1000 L container	1