



## Safety Data Sheet

according to UK REACH Regulation

### Li-Ex

Revision date: 12.12.2022

Product code: j1502\_sd

Page 2 of 9

#### Hazard statements

H315 Causes skin irritation.  
H319 Causes serious eye irritation.

#### Precautionary statements

P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/eye protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### 2.3. Other hazards

None known.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

according to 648/2004/CE: nonionic surfactants <5%, soap <5%, complexing agents, water-soluble solvents, dyes, fragrances (Limonene)

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
112-34-5	2-(2-Butoxyethoxy)ethanol			10 - < 15 %
	203-961-6	603-096-00-8	01-2119475104-44	
	Eye Irrit. 2; H319			
5131-66-8	3-Butoxypropan-2-ol			1 - < 5 %
	225-878-4	603-052-00-8	01-2119475527-28	
	Skin Irrit. 2, Eye Irrit. 2; H315 H319			
122-99-6	2-Phenoxyethanol			1 - < 3 %
	204-589-7	603-098-00-9	01-2119488943-21	
	Acute Tox. 4, Eye Dam. 1, STOT SE 3; H302 H318 H335			
68439-51-0	Alcohols, C12-14, ethoxylated propoxylated			1 - < 5 %
	Aquatic Chronic 3; H412			
141-43-5	2-Aminoethanol			1 - < 5 %
	205-483-3	603-030-00-8	01-2119486455-28	
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, STOT SE 3, Aquatic Chronic 3; H332 H312 H302 H314 H335 H412			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
122-99-6	204-589-7	2-Phenoxyethanol	1 - < 3 %
	oral: ATE 1394 mg/kg		
141-43-5	205-483-3	2-Aminoethanol	1 - < 5 %
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 1025 mg/kg; oral: LD50 = 1720 mg/kg STOT SE 3; H335: >= 5 - 100		

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

## Safety Data Sheet

according to UK REACH Regulation

### Li-Ex

Revision date: 12.12.2022

Product code: j1502\_sd

Page 3 of 9

#### General information

Avoid contact with skin and eyes.

#### After inhalation

Move to fresh air.

#### After contact with skin

Wash off immediately with plenty of water. Take off contaminated clothing and shoes immediately.

#### After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

If eye irritation persists, consult a specialist.

#### After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible.

Consult a physician.

#### **4.2. Most important symptoms and effects, both acute and delayed**

This information is not available.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

If you feel unwell, seek medical advice (show the label where possible).

Show this safety data sheet to the doctor in attendance.

### SECTION 5: Firefighting measures

#### **5.1. Extinguishing media**

##### Suitable extinguishing media

Any extinguishing means and measures are acceptable.

#### **5.2. Special hazards arising from the substance or mixture**

This information is not available.

#### **5.3. Advice for firefighters**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

### SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### General advice

Avoid contact with skin and eyes.

##### For non-emergency personnel

Use personal protection equipment.

##### For emergency responders

Use personal protection equipment.

#### **6.2. Environmental precautions**

Do not flush into surface water.

#### **6.3. Methods and material for containment and cleaning up**

##### For containment

Stop leak if safe to do so. Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

##### For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

##### Other information

Wipe up with absorbent material (e.g. cloth, fleece). After cleaning, flush away traces with water.

Never return spills in original containers for re-use.

## Safety Data Sheet

according to UK REACH Regulation

### Li-Ex

Revision date: 12.12.2022

Product code: j1502\_sd

Page 4 of 9

#### 6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

Ensure adequate ventilation.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands after handling.

##### Advice on protection against fire and explosion

Not required

##### Advice on general occupational hygiene

Handle in accordance with good industrial hygiene and safety practice.  
Use protective skin cream before handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

##### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

##### Further information on storage conditions

Keep container tightly closed.  
Never return unused material to storage receptacle.

#### 7.3. Specific end use(s)

This information is not available.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	WEL
		3	7.6		STEL (15 min)	WEL

##### Additional advice on limit values

If applied according to regulations, this will fall below the limit. There is no risk to health.

#### 8.2. Exposure controls

##### Appropriate engineering controls

Not required

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Safety glasses with side-shields conforming to EN166

##### Hand protection

Suitable protective gloves recommended.

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

## Safety Data Sheet

according to UK REACH Regulation

### Li-Ex

Revision date: 12.12.2022

Product code: j1502\_sd

Page 5 of 9

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

Ensure adequate ventilation, especially in confined areas.

#### Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	pink	
Odour:	characteristic	
		<b>Test method</b>
Melting point/freezing point:	<-8 °C	
Boiling point or initial boiling point and boiling range:	>98 °C	
Flammability		
Solid/liquid:	not applicable	
Gas:	not applicable	
Lower explosion limits:	not applicable	
Upper explosion limits:	not applicable	
Flash point:	not determined	
Auto-ignition temperature:	not determined	
Decomposition temperature:	not determined	
pH-Value (at 20 °C):	approx. 9,5	K-QP1012C
Viscosity / kinematic:	not determined	
Water solubility: (at 20 °C)	completely miscible	
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Density (at 20 °C):	1,02 g/cm <sup>3</sup>	K-QP1012E
Relative vapour density:	not determined	

### 9.2. Other information

#### Information with regard to physical hazard classes

##### Explosive properties

Not explosive

##### Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

##### Oxidizing properties

Not relevant

#### Other safety characteristics

Evaporation rate:

not determined

Solid content:

not determined

Sublimation point:

not applicable

Softening point:

not applicable

Pour point:

not applicable

Viscosity / dynamic:

not determined

Flow time:

not determined

## Safety Data Sheet

according to UK REACH Regulation

### Li-Ex

Revision date: 12.12.2022

Product code: j1502\_sd

Page 6 of 9

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This information is not available.

### 10.2. Chemical stability

This information is not available.

### 10.3. Possibility of hazardous reactions

This information is not available.

### 10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

### 10.5. Incompatible materials

This information is not available.

### 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

### Further information

Do not mix with other detergents or chemicals.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
122-99-6	2-Phenoxyethanol				
	oral	ATE 1394 mg/kg			
141-43-5	2-Aminoethanol				
	oral	LD50 1720 mg/kg	rat		
	dermal	LD50 1025 mg/kg	rabbit		
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			

#### Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

## Safety Data Sheet

according to UK REACH Regulation

**Li-Ex**

Revision date: 12.12.2022

Product code: j1502\_sd

Page 7 of 9

**Endocrine disrupting properties**

This information is not available.

**Further information**

Health injuries are not known or expected under normal use.

**SECTION 12: Ecological information****12.1. Toxicity**

Based on available data, the classification criteria are not met.

**12.2. Persistence and degradability**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

**12.3. Bioaccumulative potential**

This information is not available.

**12.4. Mobility in soil**

This information is not available.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

This information is not available.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Container should be emptied thoroughly. Do not pour remains of product in large quantities into the sewage.

**List of Wastes Code - residues/unused products**

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

**List of Wastes Code - used product**

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

**Contaminated packaging**

Clean container with water. Return cleaned containers to the company for recycling.

Offer rinsed packaging material to local recycling facilities.

**SECTION 14: Transport information****Land transport (ADR/RID)****14.1. UN number or ID number:** not applicable**14.2. UN proper shipping name:** not applicable**14.3. Transport hazard class(es):** not applicable**14.4. Packing group:** not applicable**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Not required

**14.7. Maritime transport in bulk according to IMO instruments**

## Safety Data Sheet

according to UK REACH Regulation

### Li-Ex

Revision date: 12.12.2022

Product code: j1502\_sd

Page 8 of 9

not applicable

#### Other applicable information

Not classified as dangerous in the meaning of transport regulations.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 55, Entry 75

##### National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 3 / 6 / 7 / 8 / 12

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation  
intérieures)

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

**Safety Data Sheet**

according to UK REACH Regulation

**Li-Ex**

Revision date: 12.12.2022

Product code: j1502\_sd

Page 9 of 9

IBC: Intermediate Bulk Container  
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>**Classification for mixtures and used evaluation method according to GB CLP Regulation**

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method

**Relevant H and EUH statements (number and full text)**

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*