

according to UK REACH Regulation

Revision date: 12.12.2022

Product code: j2516_sd

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking				
1.1. Product identifier Resinex				
UFI:	Y020-T0N5-Y004	-1A9W		
1.2. Relevant identified use	s of the substance or mixtur	<u>e and uses advised agains</u>	<u>t</u>	
Use of the substance/m	ixture			
Product for professio	nal cleaning and maintenance			
1.3. Details of the supplier	of the safety data sheet			
Company name:	JOHANNES	KIEHL KG		
Street:	Robert-Bosch-Str	. 9		
Place:	D-85235 Odelzha	usen		
Telephone:	+49 8134 9305-0		Telefax: +49 8134 6466	
e-mail:	info@kiehl-group.	com		
Contact person:	Laboratory depart	Laboratory department		
Internet:	www.kiehl-group.	www.kiehl-group.com		
Responsible Department: Notrufnummer für deutsch- und englischsprachige Länder: +49/89/19 Vergiftungsinformationszentrale (VIZ) Österreich: +43 1 406 43 43 Nationale Notrufnummer für die Schweiz (Tox-Zentrum Zürich): 145 Numéro d'urgence France: INRS: +33 (0) 1 45 42 59 59 Numero d' emergenza Italia: Centro Antiveleni - 20162 Milano: 02/66 ETTSZ /Egészségügyi Toxikológiai Tájékoztató Szolgálat/, 1096 Bud Nagyvárad tér 2. Ügyeleti telefonszám: +36 80 201-199 Eesti: Häirekeskuse number: 112 / Mürgistusteabekeskuse number: Emergency telephone number for all other countries: +49/8134/9305-		eich: +43 1 406 43 43 k-Zentrum Zürich): 145 45 42 59 59 hi - 20162 Milano: 02/66101029 htó Szolgálat/, 1096 Budapest, 50 201-199 steabekeskuse number: 16662 huntries: +49/8134/9305-169		
KIEHL Austria GmbH KIEHL FRANCE S.A.R.L. KIEHL Italia s.r.l. KIEHL Schweiz AG KIEHL Hungary Kft. KIEHL Middle East LLC	Perfektastr. 57; 5, rue de Londres; Via San Rocco, 101; St. Dionys-Str. 33; Felsöipari körút 3/ D A8-LIU 48/49 - KIZAD	A-1230 Wien F-67670 Mommenheim I-16036 Recco (GE) CH-8645 Jona HU-2142 Nagytarcsa Abu Dhabi, U.A.E.	Tel. +43 (0) 1 / 604 99 93 Tél. +33 (0) 3.88.59.52.25 Tel. +39 / 0185 730 008 Tel. +41 (0) 55 / 254 74 74 Tel. +36 (0) 1 / 348-08 41 Tel. +971 2 550 33 96	

1.4. Emergency telephone

+49/89/19240 (germanophone and anglophone)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Asp. Tox. 1; H304

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

C10-12 Alkane / Cycloalkane Danger

Signal word:

Pictograms:





according to UK REACH Regulation

Resinex			
Revision date: 12.12.2022	Product code: j2516_sd	Page 2 of 8	
Hazard statements			
H304	May be fatal if swallowed and enters airways.		
Precautionary stateme	nts		
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.		
P331	Do NOT induce vomiting.		
Special labelling of cer	tain mixtures		
EUH066	Repeated exposure may cause skin dryness or cracking.		

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

water-insoluble solvents

Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
64742-48-9	Hydrocarbons, dearomatized		100 %	
	265-150-3		01-2119457273-39	
	Asp. Tox. 1; H304			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No hazards which require special first aid measures.

After inhalation

not hazardous by inhalation

After contact with skin

Wash off immediately with soap and plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Sand, Foam



according to UK REACH Regulation

Resinex

Revision date: 12.12.2022

Product code: j2516_sd

Page 3 of 8

Unsuitable extinguishing media

Water

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Not required.

For non-emergency personnel

No special measures are necessary.

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

Other information

Wipe up with absorbent material (e.g. cloth, fleece). Do not allow to dry.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation.

Advice on protection against fire and explosion

When using do not smoke. Keep away from open flames, hot surfaces and sources of ignition.

Advice on general occupational hygiene

General industrial hygiene practice. No special protective equipment required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Keep away from direct sunlight. Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Do not store together with oxidizing and self-igniting products. (See also section 10)

Further information on storage conditions

Keep away from heat and sources of ignition.

Keep container tightly closed.

Never return unused material to storage receptacle.



according to UK REACH Regulation

Resinex

Revision date: 12.12.2022

Product code: j2516_sd

Page 4 of 8

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

Use only in well-ventilated areas.

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Hand protection

Protective gloves

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

Skin protection

Not required

Respiratory protection

Not required

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid		
Colour:	colourless		
Odour:	weakly hydrocarbor	1-like	
			Test method
Malting paint/fragging pain	+ .	not determined	rest metriod
Melting point/freezing poin		not determined	
Boiling point or initial boilin	ig point and	not determined	
boiling range: Flammability			
Solid/liquid:		not applicable	
Gas:		not applicable	
Lower explosion limits:		not determined	
Upper explosion limits:		not determined	
Flash point:		°C 06<	
Auto-ignition temperature:		not determined	
Decomposition temperatur	e:	not determined	
pH-Value (at 20 °C):		not applicable	
Viscosity / kinematic:		not determined	
(at 20 °C)			
Water solubility:		immiscible	
(at 20 °C)			
Solubility in other solvents			
not determined			
Partition coefficient n-octar	nol/water:	not determined	
Vapour pressure:		not determined	
(at 20 °C)		/	
Density (at 20 °C):		-	K-QP1012E
Relative vapour density:		not determined	



according to UK REACH Regulation

Resinex			
Revision date: 12.12.2022	Product code: j2516_sd	Page 5 of 8	
9.2. Other information			
Information with regard to physical ha	izard classes		
Explosive properties			
Not explosive			
Self-ignition temperature			
Solid:	not applicable		
Gas:	not applicable		
Oxidizing properties			
Not relevant			
Other safety characteristics			
Evaporation rate:	not determined		
Solvent content:	100%		
Solid content:	not determined		
Sublimation point:	not applicable		
Softening point:	not applicable		
Pour point:	not applicable		
Viscosity / dynamic:	not determined		

not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Flow time:

This information is not available.

10.2. Chemical stability

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 30 °C. Keep away from direct sunlight.

10.5. Incompatible materials

Oxidizing agents (Peroxides, Nitric acid)

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met. LD50/oral/rat = >2000mg/kg LD50/dermal/rabbit = >2000mg/kg

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

Resinex

Revision date: 12.12.2022

Product code: j2516_sd

Page 6 of 8

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking. Repeated exposure may cause skin dryness or cracking.

Aspiration hazard

May be fatal if swallowed and enters airways. Aspiration hazard if swallowed - can enter lungs and cause damage.

11.2. Information on other hazards

Endocrine disrupting properties

This information is not available.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

If used as prescribed, the product does not get into the sewage system and thus not into ecological cycles.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

This information is not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Container should be emptied thoroughly. Do not pour remains of product in large quantities into the sewage.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	not applicable
14.2. UN proper shipping name:	not applicable
14.3. Transport hazard class(es):	not applicable
14.4. Packing group:	not applicable



	·	
ie saubere Lösung	according to UK REACH Regulation	
	Resinex	
Revision date: 12.12.2022	Product code: j2516_sd	Page 7 of
4.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOU	IS: No	
14.6. Special precautions for user Not required		
14.7. Maritime transport in bulk accord	rding to IMO instruments	
not applicable		
Other applicable information		
Not classified as dangerous in t	he meaning of transport regulations.	
SECTION 15: Regulatory informat	ion	
5.1. Safety, health and environment	al regulations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, anne)	× XVII):	
Entry 3, Entry 29	,	
National regulatory information		
Water hazard class (D):	1 - slightly hazardous to water	
15.2. Chemical safety assessment		
Chemical safety assessments for	or substances in this mixture were not carried out.	
SECTION 16: Other information		
Changes		
-	es from the previous version in section(s): 6 / 7 / 8 / 12	
Abbreviations and acronyms		
ADR: Accord européen sur le tr	ansport des marchandises dangereuses par Route	
	ng the International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Co		
IATA: International Air Transpor		
, , ,	tem of Classification and Labelling of Chemicals	
ELINECS: European Inventory of ELINCS: European List of Notifi	f Existing Commercial Chemical Substances	
CAS: Chemical Abstracts Service		
LC50: Lethal concentration, 50%		
LD50: Lethal dose, 50%	•	
CLP: Classification, labelling an	d Packaging	
	on and Authorization of Chemicals	
GHS: Globally Harmonised Sys	tem of Classification, Labelling and Packaging of Chemicals	
UN: United Nations		
DNEL: Derived No Effect Level		
DMEL: Derived Minimal Effect L		
PNEC: Predicted No Effect Con	centration	
ATE: Acute toxicity estimate		
LL50: Lethal loading, 50%		
EL50: Effect loading, 50% EC50: Effective Concentration 5	50%	
EC50: Effective Concentration		

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail



according to UK REACH Regulation

Revision date: 12.12.2022 Product code: j2516_sd Page 8 of 8 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) Amount of the Prevention al des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu Classification for mixtures and used evaluation method according to GB CLP Regulation Classification Classification procedure Asp. Tox. 1; H304 Calculation method Relevant H and EUH statements (number and full text) H304 May be fatal if swallowed and enters airways.	Resinex			
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu Classification for mixtures and used evaluation method according to GB CLP Regulation Classification Classification procedure Asp. Tox. 1; H304 Calculation method	Revision date: 12.12.2022	Product code: j2516_sd	Page 8 of 8	
Asp. Tox. 1; H304 Calculation method Relevant H and EUH statements (number and full text)	ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu			
Relevant H and EUH statements (number and full text)	Classification	Classification procedure		
	Asp. Tox. 1; H304	Calculation method		
H304 May be fatal if swallowed and enters airways.	Relevant H and EUH statements (number and full text)			
	H304 May be fatal if swallowed and enters airways.			
EUH066 Repeated exposure may cause skin dryness or cracking.	EUH066 Rep	eated exposure may cause skin dryness or cracking.		

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)