

according to UK REACH Regulation

Dopomat-forte

Revision date: 12.12.2022

Product code: j0502_sd

Page 1 of 9

SECTION 1: Identification	of the substance/mixture	and of the company/ur	ndertaking
1.1. Product identifier Dopomat-forte			
UFI:	XSN0-N0T4-100H	-W2X1	
1.2. Relevant identified uses	of the substance or mixture	and uses advised agains	<u>t</u>
Use of the substance/mix	cture		
Product for profession	al cleaning and maintenance		
1.3. Details of the supplier o	f the safety data sheet		
Company name:	JOHANNES	KIEHL KG	
Street:	Robert-Bosch-Str.	9	
Place:	D-85235 Odelzhau	isen	
Telephone:	+49 8134 9305-0		Telefax: +49 8134 6466
e-mail:	info@kiehl-group.c	om	
Contact person:	Laboratory departr	nent	
Internet:	www.kiehl-group.c	om	
Responsible Department:	Notrufnummer für	deutsch- und englischsprac	chige Länder: +49/89/19240
	Vergiftungsinforma	tionszentrale (VIZ) Österre	eich: +43 1 406 43 43
		ımmer für die Schweiz (To	,
		ce France: INRS: +33 (0) 1	
			ni - 20162 Milano: 02/66101029
			tó Szolgálat/, 1096 Budapest,
		lgyeleti telefonszám: +36 8	
			steabekeskuse number: 16662
	Emergency teleph	one number for all other co	untries: +49/8134/9305-169
KIEHL Austria GmbH	Perfektastr. 57;	A-1230 Wien	Tel. +43 (0) 1 / 604 99 93
KIEHL FRANCE S.A.R.L.	5, rue de Londres;	F-67670 Mommenheim	Tél. +33 (0) 3.88.59.52.25
KIEHL Italia s.r.l.	Via San Rocco, 101;	I-16036 Recco (GE)	Tel. +39 / 0185 730 008
KIEHL Schweiz AG KIEHL Hungary Kft.	St. Dionys-Str. 33; Felsöipari körút 3/ D	CH-8645 Jona HU-2142 Nagytarcsa	Tel. +41 (0) 55 / 254 74 74 Tel. +36 (0) 1 / 348-08 41
KIEHL Middle East LLC	A8-LIU 48/49 - KIZAD	Abu Dhabi, U.A.E.	Tel. +971 2 550 33 96

1.4. Emergency telephone

+49/89/19240 (germanophone and anglophone)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Corr. 1B; H314

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling Sodium Hydroxide

Signal word:

Pictograms:





according to UK REACH Regulation

Dopomat-forte			
Revision date: 12.12.2022	Product code: j0502_sd	Page 2 of 9	
Hazard statements			
H314	Causes severe skin burns and eye damage.		
Precautionary statemen	its		
P280	Wear protective gloves/protective clothing/eye protection/face protection.		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P308+P313	IF exposed or concerned: Get medical advice/attention.		

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

according to 648/2004/CE: nonionic surfactants <5%, anionic surfactants <5%, phosphonates <5%, alkalis, water-soluble solvents, corrosion inhibitors, dyes

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
112-34-5	2-(2-Butoxyethoxy)ethanol			1 - < 5 %
	203-961-6	603-096-00-8	01-2119475104-44	
	Eye Irrit. 2; H319	•	·	
1310-73-2	Sodium hydroxide			1 - < 5 %
	215-185-5	011-002-00-6	02-2119752469-26	
	Skin Corr. 1A; H314	1		
1312-76-1	Potassium silicate			1 - < 5 %
	215-199-1		01-2119456888-17	
	Met. Corr. 1, Skin Corr. 1B; H290 F	1314		
69011-36-5	i-C13-Fatty alcohol polyglycol ether	rs 5-12 EO		1 - < 5 %
	931-138-8			
	Acute Tox. 4, Eye Dam. 1; H302 H	318		

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	hemical name			
	Specific Conc.	Limits, M-factors and ATE			
1310-73-2	215-185-5	Sodium hydroxide	1 - < 5 %		
	,	H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < H319: >= 0,5 - < 2			
69011-36-5	931-138-8	i-C13-Fatty alcohol polyglycol ethers 5-12 EO	1 - < 5 %		
	oral: ATE = 50	0 mg/kg Eye Dam. 1; H318: >= 10 - 100 Eye Irrit. 2; H319: >= 6 - < 10			

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Avoid contact with skin and eyes.

After inhalation

not hazardous by inhalation



according to UK REACH Regulation

Dopomat-forte

Revision date: 12.12.2022

Product code: j0502_sd

Page 3 of 9

After contact with skin

Wash off immediately with soap and plenty of water. Take off all contaminated clothing immediately.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Prevent vomiting if possible. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Any extinguishing means and measures are acceptable.

5.2. Special hazards arising from the substance or mixture

This information is not available.

5.3. Advice for firefighters

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin, eyes and clothing.

For non-emergency personnel

Use personal protection equipment.

For emergency responders

Use personal protection equipment.

6.2. Environmental precautions

Do not flush into surface water.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Clean contaminated articles and floor according to the environmental legislation.

Other information

Never return spills in original containers for re-use.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling



Page 4 of 9

according to UK REACH Regulation

Dopomat-forte Product code: j0502 sd

Revision date: 12.12.2022

Advice on safe handling

Avoid contact with skin and eyes.

Advice on protection against fire and explosion No special protective measures against fire required.

Advice on general occupational hygiene

General industrial hygiene practice.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store at room temperature in the original container. Store in a place accessible by authorized persons only.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Do not store near acids.

Further information on storage conditions

Keep container tightly closed.

Never return unused material to storage receptacle.

7.3. Specific end use(s)

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

Additional advice on limit values

If applied according to regulations, this will fall below the limit.

There is no risk to health.

8.2. Exposure controls

Appropriate engineering controls

Not required

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166

Hand protection

Protective gloves

Recommendation: Nitrile gloves with a coating thickness of 0.4 mm which protect at least 8 hours (corresponds to the permeability level 6 of the European norm DIN/EN 374) and provide a resistance to swelling of < 15%.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Not required

Environmental exposure controls

Handle in accordance with good industrial hygiene and safety practice.



according to UK REACH Regulation

Dopomat-forte

Revision date: 12.12.2022

Product code: j0502_sd

Page 5 of 9

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical state: liquid Colour: blue Odour: mild Test method <0 °C Melting point/freezing point: >98 °C Boiling point or initial boiling point and boiling range: Flammability Solid/liquid: not applicable Gas: not applicable Lower explosion limits: not applicable Upper explosion limits: not applicable Flash point: >100 °C Auto-ignition temperature: >300 °C Decomposition temperature: not determined pH-Value (at 20 °C): approx. 13,0 K-QP1012C Viscosity / kinematic: not determined Water solubility: completely miscible (at 20 °C) Solubility in other solvents not determined Partition coefficient n-octanol/water: not determined Vapour pressure: not determined Density (at 20 °C): 1,08 g/cm³ K-QP1012E Relative vapour density: not determined 9.2. Other information Information with regard to physical hazard classes Explosive properties Not explosive Self-ignition temperature Solid: not applicable Gas: not applicable Oxidizing properties Not relevant Other safety characteristics Evaporation rate: not determined Solid content: not determined Sublimation point: not applicable Softening point: not applicable Pour point: not applicable Viscosity / dynamic: not determined Flow time: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

This information is not available.

10.2. Chemical stability



according to UK REACH Regulation

Dopomat-forte

Revision date: 12.12.2022

Product code: j0502_sd

Page 6 of 9

This information is not available.

10.3. Possibility of hazardous reactions

This information is not available.

10.4. Conditions to avoid

Do not expose to temperatures above 35 °C.

10.5. Incompatible materials

Acids

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Do not mix with other detergents or chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
69011-36-5	i-C13-Fatty alcohol polyglycol ethers 5-12 EO				
		ATE 500 mg/kg			

Irritation and corrosivity

Causes severe skin burns and eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This information is not available.

Further information

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. The surfactants in the product meet all requirements of the detergents regulation 648/2004/EC.

12.3. Bioaccumulative potential



according to UK REACH Regulation

Dopomat-forte

Revision date: 12.12.2022

Product code: j0502_sd

Page 7 of 9

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

This information is not available.

Further information

Chemical Oxygen Demand (COD) 290 mg O2/g.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Container should be emptied thoroughly. Do not pour remains of product in large quantities into the sewage.

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Clean container with water. Return cleaned containers to the company for recycling. Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

Land transport (ADR/RID)	
14.1. UN number or ID number:	UN 1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	111
Hazard label:	8
Classification code:	C5
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE, SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8



according to UK REACH Regulation

	Dopomat-forte	
Revision date: 12.12.2022	Product code: j0502_sd	Page 8 of 9
Special Provisions: Limited quantity:	223 5 L	
Excepted quantity:	E1	
EmS:	F-A, S-B	
Segregation group:	alkalis	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user Not required		
14.7. Maritime transport in bulk according	g to IMO instruments	
Not relevant		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental re-	gulations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XV	II):	
Entry 3, Entry 55, Entry 75		
National regulatory information		
Water hazard class (D):	1 - slightly hazardous to water	
15.2. Chemical safety assessment		
Chemical safety assessments for su	ibstances in this mixture were not carried out.	
SECTION 16: Other information		
Changes		
This data sheet contains changes fro	om the previous version in section(s): 3 / 6 / 7 / 8 / 12	
Abbreviations and acronyms		
ALD: Accord ouropées our le tresse		
	port des marchandises dangereuses par Route	
(European Agreement concerning th	ne International Carriage of Dangerous Goods by Road)	
	ne International Carriage of Dangerous Goods by Road) for Dangerous Goods	
(European Agreement concerning the IMDG: International Maritime Code for IATA: International Air Transport Ass GHS: Globally Harmonized System	ne International Carriage of Dangerous Goods by Road) for Dangerous Goods sociation of Classification and Labelling of Chemicals	
(European Agreement concerning the IMDG: International Maritime Code for IATA: International Air Transport Ass GHS: Globally Harmonized System EINECS: European Inventory of Existen	ne International Carriage of Dangerous Goods by Road) for Dangerous Goods sociation of Classification and Labelling of Chemicals sting Commercial Chemical Substances	
(European Agreement concerning the IMDG: International Maritime Code for IATA: International Air Transport Ass GHS: Globally Harmonized System EINECS: European Inventory of Exist ELINCS: European List of Notified C	ne International Carriage of Dangerous Goods by Road) for Dangerous Goods sociation of Classification and Labelling of Chemicals sting Commercial Chemical Substances	
(European Agreement concerning the IMDG: International Maritime Code for IATA: International Air Transport Ass GHS: Globally Harmonized System EINECS: European Inventory of Existen	ne International Carriage of Dangerous Goods by Road) for Dangerous Goods sociation of Classification and Labelling of Chemicals sting Commercial Chemical Substances	
(European Agreement concerning the IMDG: International Maritime Code for IATA: International Air Transport Ass GHS: Globally Harmonized System EINECS: European Inventory of Exist ELINCS: European List of Notified C CAS: Chemical Abstracts Service	ne International Carriage of Dangerous Goods by Road) for Dangerous Goods sociation of Classification and Labelling of Chemicals sting Commercial Chemical Substances	
(European Agreement concerning the IMDG: International Maritime Code for IATA: International Air Transport Asset GHS: Globally Harmonized System EINECS: European Inventory of Exist ELINCS: European List of Notified Co CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Para	ne International Carriage of Dangerous Goods by Road) for Dangerous Goods sociation of Classification and Labelling of Chemicals sting Commercial Chemical Substances Chemical Substances	
(European Agreement concerning the IMDG: International Maritime Code for IATA: International Air Transport Asset GHS: Globally Harmonized System EINECS: European Inventory of Exist ELINCS: European List of Notified Co CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Pa REACH: Registration, Evaluation and	ne International Carriage of Dangerous Goods by Road) for Dangerous Goods sociation of Classification and Labelling of Chemicals sting Commercial Chemical Substances Chemical Substances	
(European Agreement concerning the IMDG: International Maritime Code of IATA: International Air Transport Asset GHS: Globally Harmonized System EINECS: European Inventory of Exist ELINCS: European List of Notified C CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Pa REACH: Registration, Evaluation and GHS: Globally Harmonised System	ne International Carriage of Dangerous Goods by Road) for Dangerous Goods sociation of Classification and Labelling of Chemicals sting Commercial Chemical Substances Chemical Substances	
(European Agreement concerning the IMDG: International Maritime Code for IATA: International Air Transport Asset GHS: Globally Harmonized System EINECS: European Inventory of Exist ELINCS: European List of Notified Co CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Pa REACH: Registration, Evaluation and	ne International Carriage of Dangerous Goods by Road) for Dangerous Goods sociation of Classification and Labelling of Chemicals sting Commercial Chemical Substances Chemical Substances	
(European Agreement concerning the IMDG: International Maritime Code of IATA: International Air Transport Asset GHS: Globally Harmonized System EINECS: European Inventory of Exist ELINCS: European List of Notified C CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Pa REACH: Registration, Evaluation and GHS: Globally Harmonised System UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level	ne International Carriage of Dangerous Goods by Road) for Dangerous Goods sociation of Classification and Labelling of Chemicals sting Commercial Chemical Substances Chemical Substances	
(European Agreement concerning the IMDG: International Maritime Code of IATA: International Air Transport Asset GHS: Globally Harmonized System EINECS: European Inventory of Exist ELINCS: European List of Notified C CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Pa REACH: Registration, Evaluation and GHS: Globally Harmonised System UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concent	ne International Carriage of Dangerous Goods by Road) for Dangerous Goods sociation of Classification and Labelling of Chemicals sting Commercial Chemical Substances Chemical Substances	
(European Agreement concerning the IMDG: International Maritime Code for IATA: International Air Transport Assection GHS: Globally Harmonized System EINECS: European Inventory of Exist ELINCS: European List of Notified Code CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Par REACH: Registration, Evaluation and GHS: Globally Harmonised System UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concent ATE: Acute toxicity estimate	ne International Carriage of Dangerous Goods by Road) for Dangerous Goods sociation of Classification and Labelling of Chemicals sting Commercial Chemical Substances Chemical Substances	
(European Agreement concerning the IMDG: International Maritime Code of IATA: International Air Transport Asset GHS: Globally Harmonized System EINECS: European Inventory of Exist ELINCS: European List of Notified C CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Pa REACH: Registration, Evaluation and GHS: Globally Harmonised System UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concent	ne International Carriage of Dangerous Goods by Road) for Dangerous Goods sociation of Classification and Labelling of Chemicals sting Commercial Chemical Substances Chemical Substances	



according to UK REACH Regulation

Dopomat-forte

Revision date: 12.12.2022

Product code: j0502_sd

Page 9 of 9

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification Classification procedure		
	Calculation method	
JH statements	; (number and full text)	
May be	May be corrosive to metals.	
Harmful if swallowed.		
14 Causes severe skin burns and eye damage.		
Causes serious eye damage.		
Cause	s serious eye irritation.	
	May be Harmfu Cause Cause	

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)